SHOWER
Camden M-Series Thermostatic
Shower System - Shower with
Handshower



#### GT3.011WB-ALM48C16



#### **Information**

- 3/4" thermostatic valve and trim
- 3/4" stop/volume control valve (2 pieces)
- 9" showerhead with 12" ceiling-mounted shower arm
- Showerhead features no-clog, easy-clean spray nozzle
- Handshower set with wall-mounted slide bar and 59" hose (PVD finishes use 59" flex hose)
- Optional extension kit
- Flow rates: showerhead ≤ 1.8 max gpm, handshower ≤ 1.8 max gpm
- ADA





#### **Information**

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions









Architectural White





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


#### Code Compliance


• CALGreen

#### Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs









#### **Information**

- 12.3 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions









Architectural White





- 13.2 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and pass-through port feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


#### Code Compliance


• CALGreen

#### Warranty

Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8087H-ALM48C16-T



#### Information

- Three metal handles, decorative trim plate
- Use with M-Series rough valves
- ALM48C16 handles should not be used with any 3-way diverter valves
- ADA









Brushed BrassBrushed Brass

Architectural White





#### Information

- 126 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt

Architectural

White

- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen

#### **Finishes**

Unfinished

Vintage

Brushed BrassBrushed Brass







3-7/16" (87mm)

#### **Product Features**

- Sunflower shape
- 126 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate < 1.8 max gpm


#### Available Finishes

- Polished Chrome G-8406-PC
- Brushed Nickel G-8406-BNi
- Polished Nickel G-8406-PN
- Unfinished Brass\*G-8406-UB\*
- Olive Bronze
   G-8406-OB\*
- Gold\*
   G-8406-AU\*

Warranty

Brushed Gold\*G-8406-BAU\*

### Code Compliance • CALGreen



#### Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

<sup>\*</sup> Special order finish- call for availability





#### **Information**

- Includes arm and round flange
- 1/2" NPT male thread inlet

Vintage

**Brushed BrassBrushed Brass** 

Architectural

White

• For use with all showerheads

#### **Finishes**

Unfinished





#### **Information**

• Brass spiral flexible hose with conical nut

#### **Finishes**

Unfinished

Vintage

Brushed BrassBrushed Brass

Architectural

White







 Brass spiral fexible hose with conical nut

#### Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty



#### **Available Finishes**

- Polished Chrome G-8605-PC
- Polished Nickel G-8605-PN
- Brushed Nickel G-8605-BNi
- Unfinished Brushed Brass\* G-8605-UBB\*
- Unfinished Brass\*
   G-8605-UB\*
- Matte Black\*
   G-8605-MBK\*
- Architectural Black\*
   G-8605-BK\*
- Architectural White\* G-8605-WT\*
- Olive Brass\*G-8605-OB\*
- Gunmetal\* G-8605-GM\*
- Vintage Brushed Brass\*
   G-8605-VBB\*
- Steelnox (Satin Nickel)
   G-8605-SN
- 24K Brushed Gold\*
   G-8605-BAU\*
- 24K Gold\*
   G-8605-AU\*
- Gunmetal Distressed\*
   G-8605-GMD\*

<sup>\*</sup> Special order finish- call for availability





#### **Information**

• 1/2" NPT female thread inlet

Vintage

Brushed BrassBrushed Brass


Architectural

#### **Finishes**

Unfinished



## G-8663 CAMDEN Series







G-8691-C16SB



#### **Information**

• 27" tall wall-mounted slide bar

Vintage

Brushed BrassBrushed Brass

· Adjustable bracket fits all hoses with conical nut

Architectural

White

#### **Finishes**

Unfinished



# G-8691-C16S 4-1/16" (102mm) Camden Series 2-3/16" (56mm) Ø <u>1</u>6 13/16" (20mm)





#### Information

- Solid brass construction
- All-metal handle
- Shower hose not included
- Includes internal backflow preventer
- Handshower flow rate ≤ 1.8 max gpm
- CALGreen









Architectural **Brushed BrassBrushed Brass** White





- Solid brass construction
- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- Includes internal backflow preventer


#### Available Finishes

- Polished Chrome G-8724-PC
- Brushed Nickel
   G-8724-BNi
- Polished NickelG-8724-PN
- Olive Bronze
   G-8724-OB
- Unfinished Brass\*
   G-8724-UB\*
- Gold\*
   G-8724-AU\*
- Brushed Gold\*
   G-8724-BAU\*

#### Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



<sup>\*</sup> Special order finish- call for availability