

Outdoor Shower Company, LLC

Dallas, Georgia


[www.outdoorshowerco.com](http://www.outdoorshowerco.com) — 1-866-SHOWER1

*Manufactures of Quality Outdoor Stainless Steel Showers*




**CAP-111APS-HCHS**

8" Shower Head  
Hand Spray & Hose



**CAP-111APS-HC**

8" Shower Head  
Without Hand Spray



**CAP-111APS — FREE STANDING STAINLESS STEEL HOT & COLD**

CAP111APS — FREE STANDING STAINLESS STEEL HOT & COLD

Outdoor Shower Company, LLC

Dallas, Georgia




www.outdoorshowerco.com — 1-866-SHOWER1

Manufactures of Quality Outdoor Stainless Steel Showers




### CAP-IMBER-FB

### FREE STANDING HOT & COLD SHOWER



Mount Base to Flooring Surface.

Place cover over Base.



Attach lower Body of Shower Base

Attach hoses to openings in lower Body.



Attach female ends of hoses to hot & cold water supply lines.

Attach upper portion of shower unit to diverter. Attach shower head.


Attach hand spray hose to diverter.





CAP-111APS-HCHS

CAP-111APS-HC



CAP-111APS-HCHS SPECIFICATIONS:

- Overall Height – 87 3/8”
- Shower Head Height – 81 5/8”
- 8” Shower Head with Swivel Ball Joint
- Hot & Cold Cross Handle Valve
- 1/2” Water Supply Connections
- Flexible Hose Connector Length – 12”
- Construction – 304 Stainless Steel
- Valve Height from Flooring Surface – 47 1/4”
- Complete with Installation Hardware

UNIT IS AVAILABLE WITH OR WITHOUT HAND SPRAY & HOSE

As exclusive dealers in the United States for Caprea showers it is a privilege to offer this great line of products to our customers. They are designed for outdoor usage, but we ask that you follow the guidelines below to ensure it is maintained correctly. Please contact the Outdoor Shower Co., LLC if you have any questions or need additional information.

It is very important to winterize your shower unit in the Autumn/early Winter prior to any chance of frost.

Make sure:

- the faucet/valve is open or the cartridges are removed
- the shower is drained of all water
- the water supply going to the shower unit is turned off
- the shower head, hand shower, other accessories are removed and stored

This will avoid damage caused from water freezing in the shower unit or pipes. Covering with plastic will not prevent freezing but will help to retain its luster and keep debris out of the openings.

In terms of maintenance, DO NOT use any chemical substances and certainly no abrasive cleaners or metal brushes on the stainless steel. The surfaces can be cleaned with WD-40 or stainless steel cleaner to remove water spots and protect the finish.

Any small spots that appear are not rust, but simply staining due to surface contamination or lead in the water. Stainless steel does not rust. Spots and staining will appear when using hard water which contains iron.

The 10 year warranty includes replacement or repair of defective parts and an unconditional guarantee against manufacturing defects. Any shipping fees associated with the return or replacement of merchandise covered by this warranty will be incurred by Outdoor Shower Company, LLC. **We reserve the right to determine if damage to a unit or any parts is the direct cause of not complying with manufacturer’s guidelines. Special Order non-stock items are NOT returnable.** The warranty will become void if merchandise is damaged, improperly maintained or installed, or modified without the authorization from our company.

**WARNING: FREEZE DAMAGE is NOT covered by the warranty.**

It is very important to winterize outdoor showers. Just like water faucets and hose bibbs, they are susceptible to freeze damage. The unit(s) must be drained in freezing conditions. In extremely cold temperatures it is advisable to remove faucets and hose bibbs and store them during winter months.

Although care was taken in the design and manufacture of your new pool shower to ensure it’s safe operation, we accept no responsibility for the improper use or installation of equipment, as it is no longer in our control. Buyers have the right of inspection, approval, and acceptance within thirty days of arrival.

Returns or repairs email us at info@outdoorshowerco.com or call 678-363-3939 or 1-866-SHOWER1. Additional information is available at [www.outdoorshowerco.com](http://www.outdoorshowerco.com).